

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name BOARD AND YOU	Telephone Number Est 502-333-8718 Own 760-450-4755	Date of Inspection 05/25/2022	ID#
Address 428 PEARL ST, NEW ALBANY IN 47150			
Owner SEAN LARA	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 06/07/2022	Released 05/24/2022
Owner's Address 604 PAYNE RD NEW ALBANY, IN 47150-		Menu Type 1 _ 2 <u>X</u> 3 _ 4 _ 5 _	
Person in Charge DAVON WILKERSON			
Responsible Person's Email DAVONWILKERSON@GMAIL.COM			
Certified Food Handler AARON FLANAGAN			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
187	X			Observed garlic in oil paste stored at room temperature, out of refrigeration.	discard
191	X			Observed no date marks on several cooked items in walk-in cooler.	today
				Observed no date mark on made-in-house sauces in prep cooler.	
192	X			Observed garlic in oil paste with a date mark past 7 days.	discard
294	X			Observed the bar dishmachine to have a sanitizer concentration that could not be detected by chlorine test strips. Contact auto-chlor.	3 days
438	X			Observed 2 spray bottles without a label.	today
218		X		Observed the two prep coolers in the kitchen dripping water. PIC stated repairs have been scheduled.	1 week
291		X		Observed no quat sanitizer test strips.	3 days
324		X		Observed the dump sink in bar to be clogged and not draining.	4 days
431		X		Observed floor drain in bar to be in need of cleaning.	3 days

Summary of Violations C 5 NC 4 R 0

Received by (name and title printed):

Inspected by (name and title printed):

Thomas Snider CFS

Received by (signature):

Inspected by (signature):

Thomas Snider

cc:

cc:

cc: